

# Wooden Chair Pair Assembly Instructions



We <u>care</u> about your comments. Please call us!

1-800-284-3948

www.MelissaAndDoug.com


© 2013 Melissa & Doug, LLC, P.O. Box 590, Westport, CT 06881



Holds up to 150 lbs



# Wooden Chair Pair PARTS




Long Screw x8

# STEP 1


#### **CHAIRS**


Parts Needed:
First Side Frame (C)
Back Slats (D,E,F,G)
3 Short Screws

Arrange Back Slats (D,E,F,G) to the right of First Side Frame (C) as shown below. Attach the slats to the frame using Short Screws as needed. (Slat F uses only its 2 dowels, not screws.)



#### Finished Assembly






STEP 2


#### **CHAIRS**

Parts Needed: Second Side Frame (H) 3 Short Screws

Attach Second Side Frame (H) using 3 Short Screws. (Make sure the dowels align with the holes on the frame.) Set aside until final assembly in Step 5.








STEP 3


**CHAIRS** 

Parts Needed: Seat (I) Front Leg Assembly (J) 2 Short Screws

With the Seat (I) in the position shown below, fit the Front Leg Assembly (J) to the seat. Insert 2 Short Screws and tighten.



#### Finished Assembly






#### **CHAIRS**

Parts Needed: Side Struts (K,L) 2 Short Screws

Assemble the Side Struts (K) and (L) as shown here with 2 Short Screws.






Parts Needed: 4 Long Screws

#### **CHAIRS**

Attach the completed Back (from Step 2) to the Seat Bottom using 4 Long Screws. Repeat Steps 1 through 5 to complete the second chair.



#### Finished Assembly

